L Number	Hits	Search Text	DB	Time stamp
2	2082	(hard adj drive) and reverse and buffer\$4	USPAT;	2004/10/20
			US-PGPUB; EPO; JPO;	10:33
			DERWENT;	
3	11	 (hard adj drive) same reverse same	IBM_TDB USPAT;	2004/10/20
3	11	buffer\$4	US-PGPUB;	10:57
			EPO; JPO;	
			DERWENT; IBM TDB	
4	2	(disk adj drive) same scan same reverse	USPAT;	2004/10/20
		same buffer\$4	US-PGPUB;	10:58
	*		EPO; JPO; DERWENT;	·
	101		IBM_TDB	
5	131	(disk adj drive) same scan same buffer\$4	USPAT; US-PGPUB;	2004/10/20
			EPO; JPO;	12.32
			DERWENT; IBM TDB	
6	87	scan same scheduling same algorithm	USPAT;	2004/10/20
		· · · · · · · · · · · · · · · · · · ·	US-PGPUB;	12:33
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	5394	instruction and segment and recording	USPAT; US-PGPUB;	2003/09/11 07:25
			EPO; JPO;	07.23
			DERWENT;	
_	3998	(instruction and segment and recording)	IBM_TDB USPAT;	2003/09/09
		and @ad<=20001109	US-PGPUB;	13:42
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	216	((instruction and segment and recording)	USPAT;	2004/05/07
		and @ad<=20001109) and reverse adj order	US-PGPUB; EPO; JPO;	10:30
			DERWENT;	
_	8119	(trace or flow) near3 (cache or buffer)	IBM_TDB USPAT;	2003/09/09
		and @ad<=20001109	US-PGPUB;	14:58
			EPO; JPO; DERWENT;	
:			IBM TDB	
-	2782	(trace or flow) near (cache or buffer) and @ad<=20001109	USPAT;	2003/09/09
	,	and Gad\-20001103	US-PGPUB; EPO; JPO;	14:58
			DERWENT;	
-	1017	((trace or flow) near (cache or buffer)	IBM_TDB USPAT;	2003/09/09
		and @ad<=20001109) and (revers\$3 or	US-PGPUB;	15:00
		backward\$2)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	5	((trace or flow) near (cache or buffer) and @ad<=20001109) and (instruction adj	USPĀT;	2004/10/20
	- 	segment)	US-PGPUB; EPO; JPO;	10:32
			DERWENT;	
	284	(((trace or flow) near (cache or buffer)	IBM_TDB USPAT;	2003/09/09
		and @ad<=20001109) and (revers\$3 or	US-PGPUB;	15:09
		backward\$2)) and segment	EPO; JPO; DERWENT;	
			IBM_TDB	
-	91	trace adj cache and @ad<=20001109	USPAT;	2004/05/06
			US-PGPUB; EPO; JPO;	15:24
			DERWENT;	
L			IBM TDB	

-	303		USPAT;	2003/09/11
		string or stack) same (reverse or	US-PGPUB;	08:59
		backwards) and @ad<=20001109	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1		USPAT;	2003/09/11
		cache and @ad<=20001109	US-PGPUB;	09:09
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	6	redundant near5 trace and cache and	USPAT;	2003/09/11
		@ad<=20001109	US-PGPUB;	09:09
		@dd\=20001103	EPO; JPO;	09:09
			DERWENT;	· .
	600	1, 1, 1,0 ,5 , 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	IBM_TDB	/
_	693	1 , 11	USPAT;	2003/09/16
		@ad<=20001109	US-PGPUB;	13:24
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	162	((append or add) adj2 (front or head) and	USPAT;	2003/09/16
	1	@ad<=20001109) and comput\$4	US-PGPUB;	11:36
	1	<u> </u>	EPO; JPO;	
			DERWENT;	
		· ·	IBM TDB]
_	531	((append or add) adj2 (front or head) and	USPAT;	2003/00/16
	331	[[[[[] [] [] [] [] [] [] []		2003/09/16
	1		US-PGPUB;	11:38
•		(front or head) and @ad<=20001109) and	EPO; JPO;	
		comput\$4)	DERWENT;	
			IBM_TDB	
! -	3248	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/09/16
		pointer and @ad<=20001109	US-PGPUB;	13:25
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1871	(stor\$4 near5 (data adj structure) and	USPAT;	2003/09/16
		pointer and @ad<=20001109) and (append or	US-PGPUB;	13:27
İ		reverse or update)	EPO; JPO;	13.27
		Teverse of apaace/	DERWENT;	
	630	//atant/ manuf /data add at	IBM_TDB	0000/00/16
-	630		USPAT;	2003/09/16
		pointer and @ad<=20001109) and (append or	US-PGPUB;	15:21
	ļ	reverse or update)) and cache	EPO; JPO;	l
			DERWENT;	1
			IBM_TDB	1
-	313	712/200.ccls. and @ad<=20001109	USPAT;	2003/09/17
			US-PGPUB;	08:39
			EPO; JPO;	
			DERWENT;	
]		IBM TDB	
-	211	krishnamoorthy.in.	USPAT;	2004/05/06
[1		US-PGPUB;	15:25
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	J 4	krishnamoorthy.in. and hooper.in. and		3004/05/06
	"	bixby.in.	USPAT;	2004/05/06
		NIVINA . TIL.	US-PGPUB;	15:30
]			EPO; JPO;	
1			DERWENT;	
	_		IBM_TDB	
-	0	"	USPAT;	2004/05/06
		testing".ab.	US-PGPUB;	15:31
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3378	witt.in.	USPAT;	2004/05/06
]		,	US-PGPUB;	15:31
			EPO; JPO;	
			DERWENT;	[[
L	L	<u> </u>	IBM TDB	1

	1 1 1		*****	00004/65/5
-	16	witt.in. and testing and reversed	USPAT; US-PGPUB;	2004/05/06 15:31
			EPO; JPO;	13.31
		· ·	DERWENT;	
	14240		IBM_TDB	2004/05/05
-	14349	sort\$4 with (array or list or instruction or (data adj structure))	USPAT; US-PGPUB;	2004/05/07
		or (data adj structure))	EPO; JPO;	10:32
			DERWENT;	
			IBM TDB	
-	115	• · · · · · · · · · · · · · · · · · ·	USPĀT;	2004/05/07
		instruction or (data adj structure)))	US-PGPUB;	10:49
		with (reverse or inverse or backward)	EPO; JPO; DERWENT;	
			IBM TDB	
-	364	instruction with (reverse adj2 order)	USPAT;	2004/05/07
			US-PGPUB;	11:11
	1		EPO; JPO;	
		·	DERWENT; IBM TDB	
-	62	instruction with (stor\$4 or sav\$4 or	USPAT;	2004/05/07
1		record\$4) with (reverse adj2 order)	US-PGPUB;	10:50
1	1		EPO; JPO;	
			DERWENT;	
<u>'</u>	. 10	5611061.URPN.	IBM_TDB USPAT	2004/05/07
			******	10:59
-	333	instruction with (reverse adj order)	USPAT;	2004/05/07
			US-PGPUB;	11:11
			EPO; JPO; DERWENT;	
			IBM TDB	
-	14	reverse adj program adj order	USPAT;	2004/05/07
			US-PGPUB;	11:11
	İ		EPO; JPO;	
			DERWENT; IBM TDB	
-	186	trace adj cache	USPAT;	2004/05/11
1		-	US-PGPUB;	10:52
			EPO; JPO;	
			DERWENT; IBM TDB	
-	60	(instruction adj segment).ab.	USPAT;	2004/05/11
			US-PGPUB;	10:53
		l	EPO; JPO;	
1			DERWENT; IBM TDB	
-	7	(instruction adj segment).ti.	USPAT;	2004/05/11
i	İ		US-PGPUB;	10:56
			EPO; JPO;	
	-		DERWENT;	
_	11013	growing or appending or inserting or	<pre>IBM_TDB USPAT;</pre>	2004/05/11
		adding) with (trace or segment or (basic	US-PGPUB;	10:57
		adj block))	EPO; JPO;	
			DERWENT;	
-	20396	 (growing or appending or inserting or	IBM_TDB USPAT;	2004/05/11
		adding or extending) near3 (trace or	US-PGPUB;	10:58
		segment or (basic adj block))	EPO; JPO;	=
,			DERWENT;	
_	47	growing or appending or inserting or	IBM_TDB	2004/05/11
]	adding or extending) near3 (instruction	USPAT; US-PGPUB;	2004/05/11 11:01
		near3 (trace or segment or (basic adj	EPO; JPO;	
		block)))	DERWENT;	
	255	/mnov63 on one and 63 / 1 / 1 / 1 / 1 / 1 / 1 / 1	IBM_TDB	
-	455	(grow\$3 or append\$3 or insert\$3 or add\$3 or extend\$3) with instruction with (trace	USPAT; US-PGPUB;	2004/05/11 11:03
		or (instruction adj segment))	EPO; JPO;	11.03
			DERWENT;	
	L	<u></u>	IBM TDB	